

# Codex-M Recorder

WWPC - CX0B



## Key Features

- Ideally works with Arri Alexa 4x3 (2880 x 2160) or 16x9 (2880 x 1620) sensor cameras.
- Records Uncompressed HD, JPEG-2000 Wavelet or ARRIRAW 12-14 bit.
- Supports 3G and 1.5G, Dual or Single link input signals. Output monitoring is selectable 4:4:4 or 4:2:2 and can apply custom LUT's.
- Comes with 4 x dockable SSD (Solid State Disk), storage packs.
  - 2 x 512Gb SSD Standard Storage Packs
  - 2 x 480Gb SSD High Speed Storage Packs
- Maximum fps using ArriRaw
  - ARRIRAW 16x9 1 fps to 60 fps (Fixed or Variable frame rates)
  - ARRIRAW 4x3 1 fps to 48 fps (Fixed or Variable frame rates)
- Comes with Docking station and SAS PCI computer card.
- Codex - M control is operated via a remote cabled or magnetic controller.
- Codex - M Record Run can be controlled via the SDI input.
- Operates Timecode or Genlock via BNC or SDI inputs.
- 10 to 34 VDC power input (ideally supplied from the RS output, on the Alexa).
- Weight is 2.6kg

Recording Format	Datapack Record Time at 23.98 fps
Uncompressed HD	38 min 480GB / 42 min 512GB
ARRIRAW 16x9	45 min 480GB / 50 min 512GB
ARRIRAW 4x3	33 min 480GB / 37 min 512GB

Copyright© 2013 Panavision Asia Pacific Pty Ltd.

